


INTERACTIVE DIGITAL SIGNAGE

7" 8" 10.1" 14" 15.6" 17.3" 18.5" 21.5" 24" 27" 32" 43" 55" 65"



7" 10.1" 13.3" 15.6" 17.3" ▲  
SELF-STAND INTERACTIVE DIGITAL SIGNAGE



▶ 10.1" 13.3" 15.6"

ROOM BOOKING DIGITAL SIGNAGE with LED BAR



21.5" ◀


INTERACTIVE DIGITAL SIGNAGE

**JAM  
SERIES**




<b>Model Number</b>	JAM1332T-W-AU-NN-T	JAM1342T-W-AU-NN-T
<b>Screen Size</b>	13.3"	13.3"
<b>Panel Type</b>	IPS	IPS
<b>Resolution</b>	1920x1080	1920x1080
<b>Interactive Touch</b>	10 point Capacitive	10 point Capacitive
<b>Brightness</b>	250 cd/m2	250 cd/m2
<b>View Angle</b>	85/85/85/85	85/85/85/85
<b>OS</b>	Android 8.1/ 9.0	Android 8.1/ 9.0
<b>Speaker</b>	2x2W	2x2W
<b>Camera</b>	Face Recognition Front Camera(Optional)	Face Recognition Front Camera(Optional)
<b>Chipset</b>	Quad-core Cortex-A17 1.8GHz,RockChip RK3288	Quad-core Cortex-A17 1.8GHz,RockChip RK3288
<b>System Memory</b>	2GB	2GB
<b>Flash Memory</b>	16GB	16GB
<b>Communication</b>	Ethernet RJ45 ,Wi-Fi 802.11 b/g/n,Bluetooth 4.0,NFC 13.56MHz (Optional)	Ethernet RJ45 ,Wi-Fi 802.11 b/g/n,Bluetooth 4.0,NFC 13.56MHz (Optional)
<b>Input/Output</b>	DC In,RJ45,Serial Port,USB OTG,3.5mm Audio Jack, Power Button,Voice Control	DC In,RJ45,Serial Port,USB OTG,3.5mm Audio Jack, Power Button,Voice Control
<b>VESA Mount/VESA</b>	100x100mm	100x100mm
<b>Battery</b>	No Battery	No Battery
<b>Power Input</b>	12V/2A	12V/2A
<b>Contrast Ratio</b>	700:1	700:1
<b>Aspect Ratio</b>	16:9	16:9
<b>Active Area Size(WxH)</b>	293.76x165.24mm	293.76x165.24mm
<b>Color</b>	Black/White/Customized Color	Black/White/Customized Color
<b>Accessories</b>	Power Adapter,User Manual	Power Adapter,User Manual
<b>Product Size (LxWxH)</b>	337.3x228.2x26.6mm	337.3x238.1x25.1mm
<b>Product Weight</b>	1.06kg	1.06kg
<b>Gift Box Size</b>	435x75x285mm	435x75x285mm
<b>Master Carton Size</b>	450x398x305mm	450x398x305mm
<b>Master Carton Weight</b>	8.8kg	8.8kg
<b>Units per Master Carton</b>	5PCS	5PCS

### JAL SERIES




Model Number	JAL1012T-B-AU-NN-T	JAL1332T-B-AU-NN-T
Screen Size	10.1"	13.3"
Panel Type	IPS	IPS
Resolution	800x1280	1920x1080
Interactive Touch	10 point Capacitive	10 point Capacitive
Brightness	250cd/m2	250 cd/m2
View Angle	85/85/85/85	85/85/85/85
OS	Android 8.1/ 9.0	Android 8.1/ 9.0
Speaker	2x2W	2x2W
Camera	2M/P Front Camera	2M/P Front Camera
Chipset	Quad-core Cortex-A17 1.8GHz,RockChip RK3288	Quad-core Cortex-A17 1.8GHz,RockChip RK3288
System Memory	2GB	2GB
Flash Memory	16GB	16GB
Communication	Ethernet RJ45 ,Wi-Fi 802.11 b/g/n,Bluetooth 4.0,NFC/RFID (Optional), Motion Sensor (Optional)	Ethernet RJ45 ,Wi-Fi 802.11 b/g/n,Bluetooth 4.0,NFC/RFID (Optional), Motion Sensor (Optional)
Input/Output	DC In, Micro USB OTG, RJ45, POE, USB 2.0 host ,Serial port, 3.5mm Audio Jack Output, SD Card Slot, Microphone	DC In, Micro USB OTG, RJ45, POE, USB 2.0 host ,Serial port, 3.5mm Audio Jack Output, SD Card Slot, Microphone
LED light Bar	Red/Blue/Green/Yellow/Purple/Wite/Cyan	Red/Blue/Green/Yellow/Purple/Wite/Cyan
VESA Mount/VES	75x75mm	75x75mm
POE (Power over Ethernet)	Support (Optional)	Support (Optional)
Power Input	12V/1.5A	12V/1.5A
Contrast Ratio	800:1	700:1
Aspect Ratio	16:10	16:9
Active Area Size(WxH)	216.96x135.6mm	293x165.24mm
Color	Black/White/Customized Color	Black/White/Customized Color
Accessories	Power Adapter, Bracket, User Manual	Power Adapter, Bracket, User Manual
Product Size (LxWxH)	273.7x189.7x30.2mm	348.56x223.74x30.2mm
Product Weight	0.7kg	0.72kg
Gift Box Size	320x228x50mm	440x275x70mm
Master Carton Size Master	530x243x320mm	455x372x297mm
Carton Weight	8.5kg	9.0kg
Units per Master Carton	10pcs	5 pcs

### JAL SERIES



Model Number	JAL1562T-B-AU-NN-T	JAL1032T-B-AU-NN-T
Screen Size	15.6"	10.1"
Panel Type	IPS	IPS
Resolution	1920x1080	800x1280
Interactive Touch	10 point Capacitive	10 point Capacitive
Brightness	250 cd/m2	250 cd/m2
View Angle	85/85/85/85	85/85/85/85
OS	Android 8.1/ 9.0	Android 8.1/ 9.0
Speaker	2x2W	2x1.5W
Camera	2M/P Front Camera	2M/P Front Camera
Chipset	Quad-core Cortex-A17 1.8GHz,RockChip RK3288	Quad-core Cortex-A17 1.8GHz,RockChip RK3288
System Memory	2GB	2GB
Flash Memory	16GB	16GB
Communication	Ethernet RJ45 ,Wi-Fi 802.11 b/g/n,Bluetooth 4.0,NFC/RFID (Optional), Motion Sensor (Optional)	Ethernet RJ45 ,Wi-Fi 802.11 b/g/n,Bluetooth 4.0,NFC/RFID (Optional), Motion Sensor (Optional)
Input/Output	DC In,Micro USB OTG,RJ45,POE,USB 2.0 host ,Serial port, 3.5mm Audio Jack Output,SD Card Slot,Microphone	DC In,Micro USB OTG,RJ45,POE,USB 2.0 host ,Serial port, 3.5mm Audio Jack Output,SD Card Slot,Microphone
LED light Bar	Red/Blue/Green/Yellow/Purple/Wite/Cyan	Red/Blue/Green/Yellow/Purple/Wite/Cyan
VESA Mount/VES	100x100mm	204.5mm
POE (Power over Ethernet)	Support (Optional)	Support (Optional)
Power Input	12V/2A	12V/1.5A
Contrast Ratio	700:1	800:1
Aspect Ratio	16:9	16:10
Active Area Size(WxH)	344.16x193.59mm	217.4x136.4mm
Color	Black/White/Customized Color	Black/White/Customized Color
Accessories	Power Adapter,Stand,User Manual	Power Adapter,Bracket,User Manual
Product Size (LxWxH)	401.81x252.91x30.2mm	275.36x25x170.36mm
Product Weight	0.75kg	0.74kg
Gift Box Size	493x303x79mm	390x220x68mm
Master Carton Size	508x372x323mm	405x363x240mm
Master Carton Weight	10.85kg	11.5kg
Units per Master Carton	5pcs	5pcs

**JAS  
SERIES**



<b>Model Number</b>	JAS7008T-W-AU-NN-T	JAS1008T-W-AU-NN-T	JAS1012T-W-AU-NN-T
<b>Screen Size</b>	7"	10.1"	10.1"
<b>Panel Type</b>	IPS	IPS	IPS
<b>Resolution</b>	1024x600	800x1280	800x1280
<b>Interactive Touch</b>	5 point Capacitive touch	10 point Capacitive touch	10 point Capacitive touch
<b>Brightness</b>	250 cd/m2	250 cd/m2	250 cd/m2
<b>OS</b>	Android 6.0	Android 6.0	Android 8.1/ 9.0
<b>View Angle</b>	80/80/80/80	85/85/85/85	85/85/85/85
<b>Input/Output</b>	DC In,HDMI output,Micro SD,Micro USB, USB 2.0 , 3.5mm Audio Jack,Microphone	DC In,HDMI output,Micro SD,Micro USB, USB 2.0 , 3.5mm Audio Jack,Microphone	DC In,HDMI output,Serial port,USB, 3.5mm AudioJack, TFcard slot,Power button
<b>Speaker</b>	2x1W	2x1W	2x1W
<b>Chipset</b>	Quad-Core cortex-A7,1.2GHz,RockChip RK3128	Quad-core cortex-A7, 1.2GHz,RockChip RK3128	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Quad-core cortex-A7, 1.2GHz,RockChip RK3128 (Optional)
<b>System Memory</b>	1GB	1GB	2GB
<b>Flash Memory</b>	16GB	16GB	16GB
<b>Camera</b>	2M/P Front Camera	2M/P Front Camera	2M/P Front Camera
<b>Communication</b>	Wi-Fi 802.11 b/g/n,Bluetooth 4.0	Wi-Fi 802.11 b/g/n,Bluetooth 4.0	Ethernet RJ45,Wi-Fi 802.11 b/g/n,Bluetooth 4.0,NFC/RFID/POE(Optional)
<b>Power Input</b>	5V/2A	5V/2.5A	12V/1.5A
<b>Contrast Ratio</b>	500:1	700:1	800:1
<b>Aspect Ratio</b>	16:9	16:10	16:10
<b>Active Area Size(WxH)</b>	153.6x90mm	216.57 x 135.36mm	217.1 x 127.7mm
<b>Accessories</b>	Power Adapter,User Manual	Power Adapter,User Manual	Power Adapter,User Manual
<b>Color</b>	Black/White/Customized Color	Black/White/Customized Color	Black/White/Customized Color
<b>Product Size (LxWxH)</b>	181x10.5x120.6mm	243x11.7x170mm	256.5x19.36x185.76mm
<b>Product Weight</b>	0.38kg	0.66kg	0.83kg
<b>Gift Box Size</b>	225x157x119mm	288x206x119mm	320 x241x129mm
<b>Master Carton Size</b>	615x330x470mm	615x303x437mm	538x333x502mm
<b>Master Carton Weight</b>	16.35kg	13.2kg	12.8kg
<b>Units per Master Carton</b>	20PCS	10PCS	8PCS

**JAS  
SERIES**



<b>Model Number</b>	JAS1022T-W-AU-NN-T	JAS1027T-W-AU-NN-T	JAS1412T-W-AU-NN-T
<b>Screen Size</b>	10.1"	10.1"	14"
<b>Panel Type</b>	IPS	IPS	IPS
<b>Resolution</b>	1280x800	1280x800	1920x1080
<b>Interactive Touch</b>	10 point Capacitive touch	10 point Capacitive touch	10 point Capacitive touch
<b>Brightness</b>	250 cd/m2	250 cd/m2	250 cd/m2
<b>OS</b>	Android 8.1/ 9.0	Android 6.0	Android 8.1/ 9.0
<b>View Angle</b>	85/85/85/85	85/85/85/85	85/85/85/85
<b>Input/Output</b>	DC In,HDMI output,Serial port,USB, 3.5mm AudioJack,TFcard slot	DC In,HDMI output,Micro SD,Micro USB, USB 2.0 , 3.5mm Audio Jack,Microphone	DC In,HDMI output,Serial port,USB, 3.5mm AudioJack,TFcard slot,
<b>Speaker</b>	2x2W	2x2W	2x2W
<b>Chipset</b>	Quad-core Cortex-A17 1.8GHz,RockChip RK3288	Quad-core cortex-A7, 1.2GHz,RockChip RK3128	Quad-core Cortex-A17 1.8GHz,RockChip RK3288
<b>System Memory</b>	2GB	1GB	2GB
<b>Flash Memory</b>	16GB	16GB	16GB
<b>Camera</b>	2.0M/P,Front Camera(Optional Binocular Camera)	2M/P Front Camera	2.0M/P,Front Camera(Optional Binocular Camera)
<b>Communication</b>	Ethernet RJ45,Wi-Fi 802.11 b/g/n ,Bluetooth 4.0,NFC/RFID/POE(Optional)	Ethernet RJ45,Wi-Fi 802.11 b/g/n ,Bluetooth 4.0,NFC/RFID/POE(Optional)	Ethernet RJ45,Wi-Fi 802.11 b/g/n ,Bluetooth 4.0,NFC/RFID/POE(Optional)
<b>Power Input</b>	12V/1.5A	12V/1.5A	12V/2A
<b>Contrast Ratio</b>	800:1	800:1	800:1
<b>Aspect Ratio</b>	16:10	16:10	16:9
<b>Active Area Size(WxH)</b>	217.1x127.7mm	216.57 x 135.36mm	308.2 x 163mm
<b>Accessories</b>	Power Adapter,User Manual	Power Adapter,User Manual	Power Adapter,User Manual
<b>Color</b>	Black/White/Customized Color	Black/White/Customized Color	Black/White/Customized Color
<b>Product Size (LxWxH)</b>	256.7x15.1x180.1mm	256.7x15.1x180.1mm	349.2x16.98x226.67mm
<b>Product Weight</b>	1.1kg	1.1kg	TBD
<b>Gift Box Size</b>	320x241x129mm	320x241x129mm	TBD
<b>Master Carton Size</b>	538x333x502mm	538x333x502mm	TBD
<b>Master Carton Weight</b>	13kg	13kg	TBD
<b>Units per Master Carton</b>	8PCS	8PCS	TBD




**JAV  
SERIES**



<b>Model Number</b>	JAV8382T-B-AU-NN-T	JAV1022T-B-AU-NN-T	JAV1172T-B-AU-NN-T
<b>Screen Size</b>	8"	10.1"	11.6"
<b>Panel Type</b>	IPS	IPS	IPS
<b>Resolution</b>	800x1280	800x1280	1920x1080
<b>Interactive Touch</b>	5 point Capacitive	10 point Capacitive	10 point Capacitive
<b>Brightness</b>	250cd/m2	250cd/m2	250 cd/m2
<b>View Angle</b>	80/80/80/80	85/85/85/85	85/85/85/85
<b>OS</b>	Android 8.1/ 9.0	Android 8.1/ 9.0	Android 8.1/ 9.0
<b>Speaker</b>	2x1.5W	2x1.5W	2x1.5W
<b>Camera</b>	2M/P Front Camera	2M/P Front Camera	2M/P Front Camera(Optional)
<b>Chipset</b>	Quad-core Cortex-A17 1.8GHz,RockChip RK3288	Quad-core Cortex-A17 1.8GHz,RockChip RK3288	Quad-core Cortex-A17 1.8GHz,RockChip RK3288
<b>System Memory</b>	2GB	2GB	2GB
<b>Flash Memory</b>	16GB	16GB	16GB
<b>Communication</b>	Ethernet RJ45 ,Wi-Fi 802.11 b/g/n,Bluetooth 4.0	Ethernet RJ45 ,Wi-Fi 802.11 b/g/n,Bluetooth 4.0	Ethernet RJ45 ,Wi-Fi 802.11 b/g/n,Bluetooth 4.0
<b>Input/Output</b>	DC In,HDMI output,3.5mm Audio Jack,Micro USB OTG,USB 2.0 host ,RJ45 ,POE ,SD Card Slot, Microphone	DC In,HDMI output,3.5mm Audio Jack,Micro USB OTG,USB 2.0 host ,RJ45 ,POE ,SD Card Slot, Microphone	DC In,HDMI output,3.5mm audio jack output,Mini USB OTG,USB 2.0 host ,RJ45 ,POE ,SD Card Slot, Microphone
<b>VESA Mount</b>	75x75mm	75x75mm	75x75mm
<b>Power Input</b>	12V/1.5A	12V/1.5A	12V/2A
<b>Contrast Ratio</b>	800:1	800:1	700:1
<b>Aspect Ratio</b>	16:10	16:10	16:9
<b>Active Area Size(WxH)</b>	172.224x107.64mm	216.96x135.6mm	256.7x144.47mm
<b>Color</b>	Black/White/Customized Color	Black/White/Customized Color	Black/White/Customized Color
<b>Accessories</b>	Power Adapter,Stand,User Manual	Power Adapter,Stand,User Manual	Power Adapter,Stand,User Manual
<b>Product Size (LxWxH)</b>	212.2x147.6x31mm	255x172x29mm	289.1x186.8x30.5mm
<b>Product Weight</b>	0.7kg	0.89kg	0.54kg
<b>Gift Box Size</b>	344x65x215mm	398x68x223mm	400x65x230mm
<b>Master Carton Size</b>	455x360x356mm	416x358x243mm	412x350x480mm
<b>Master Carton Weight</b>	12kg	10.1kg	11kg
<b>Units per Master Carton</b>	10pcs	5pcs	10pcs

**JAV  
SERIES**




**JAV1412T-B-AU-NN-T**



**JAV1562T-B-AU-NN-T**


Model Number	JAV1412T-B-AU-NN-T	JAV1562T-B-AU-NN-T
Screen Size	14"	15.6"
Panel Type	IPS	IPS
Resolution	1920x1080	1920x1080
Interactive Touch	10 point Capacitive	10 point Capacitive
Brightness	250 cd/m2	250 cd/m2
View Angle	85/85/85/85	85/85/85/85
OS	Android 8.1/ 9.0	Android 8.1/ 9.0
Speaker	2x2W	2x2W
Camera	2M/P Front Camera(Optional)	2M/P Front Camera
Chipset	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399 (Optional)	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399 (Optional)
System Memory	2GB	2GB
Flash Memory	16GB	16GB
Communication	Ethernet RJ45 ,Wi-Fi 802.11 b/g/n.Bluetooth 4.0	Ethernet RJ45 ,Wi-Fi 802.11 b/g/n.Bluetooth 4.0
Input/Output	DC In,HDMI output,3.5mm audio jack output,Mini USB OTG,USB 2.0 host ,RJ45,SD Card Slot,Microphone	DC In,HDMI output,3.5mm Audio Jack,Mini USB OTG,USB 2.0 host ,RJ45,SD Card Slot,Microphone
VESA Mount	100x100mm	100x100mm
Battery	No Battery	No Battery
Power Input	12V/3A	12V/3A
Contrast Ratio	700:1	700:1
Aspect Ratio	16:9	16:9
Active Area Size(WxH)	309.312x173.988mm	344.16x193.59mm
Color	Black/White/Customized Color	Black/White/Customized Color
Accessories	Power Adapter,Stand,User Manual	Power Adapter,Stand,User Manual
Product Size (LxWxH)	342.7x220x25mm	388x245x27mm
Product Weight	1.06kg	1.3kg
Gift Box Size	372x78x325mm	475x295x85mm
Master Carton Size	412x387x345mm	490x360x313mm
Master Carton Weight	10.6kg	9.8kg
Units per Master Carton	5pcs	4pcs

### JAV SERIES




Model Number	JAV1732T-B-AU-NN-T	JAV1852T-B-AU-NN-T	JAV2132T-B-AU-NN-T
Screen Size	17.3"	18.5"	21.5"
Panel Type	IPS	IPS	IPS
Resolution	1920x1080	1366x768	1920x1080
Interactive Touch	10 point Capacitive touch	10 point Capacitive touch	10 point Capacitive
Brightness	250cd/m2	250cd/m2	250cd/m2
View Angle	85/85/85/85	89/89/89/89	89/89/89/89
OS	Android 8.1/ 9.0	Android 8.1/ 9.0	Android 8.1/ 9.0
Speaker	2x2W	2x3W	2x3W
Camera	2M/P Front Camera	2M/P Front Camera	No Camera
Chipset	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399 (Optional)	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399 (Optional)	Quad-core Cortex-A17 1.8GHz,RockChip RK3288
System Memory	2GB	2GB	2GB
Flash Memory	16GB	16GB	16GB
Communication	Ethernet RJ45,Wi-Fi 802.11 b/g/n,Bluetooth 4.0	Ethernet RJ45,Wi-Fi 802.11 b/g/n,Bluetooth 4.0	Ethernet RJ45 ,Wi-Fi 802.11 b/g/n,Bluetooth 4.0
Input/Output	DC In,Mini USB OTG,USB 2.0 Host,3.5mm Audio Jack,SD Card Slot,RJ45,Serial Port,Microphone	DC In, HDMI output,USB2.0 Host, Mini USB OTG, 3.5mm Audio Jack,RJ45,Microphone	DC In,HDMI output,3.5mm Audio Jack,Mini USB OTG,USB 2.0 host ,RJ45,SD Card Slot,Serial port,Power button,Voice control
VESA Mount	100x100mm	75x75mm	100x100mm
Battery	No Battery	No Battery	No Battery
Power Input	12V/3A	12V/3A	12V/3A
Contrast Ratio	800:1	1000:1	1000:1
Aspect Ratio	16:9	16:9	16:9
Active Area Size(WxH)	381.89x214.8mm	409.8x230.4mm	474.64x268.11mm
Color	Black/White/Customized Color	Black/White/Customized Color	Black/White/Customized Color
Accessories	Power Adapter,Stand,User Manual	Power Adapter,Stand,User Manual	Power Adapter,Screws,User Manual
Product Size (LxWxH)	417.9x262.8x26mm	468x288x38mm	504.5x302x31.8mm
Product Weight	1.61kg	2.7kg	5.1kg
Gift Box Size	453x87x360mm	528x110x395mm	580x125x375mm
Master Carton Size	468x455x380mm	545x350x415mm	595x270x393mm
Master Carton Weight	12.55kg	13kg	12.2kg
Units per Master Carton	5 pcs	3pcs	2pcs


**JAV  
SERIES**



JAV2152T-B-AU-NN-T





JAV2402T-B-AU-NN-T



JAV2702T-B-AU-NN-T

Model Number	JAV2152T-B-AU-NN-T	JAV2402T-B-AU-NN-T	JAV2702T-B-AU-NN-T
Screen Size	21.5"	24"	27"
Panel Type	IPS	IPS	IPS
Resolution	1920x1080	1920x1080	1920x1080
Interactive Touch	10 point Capacitive touch	10 point Capacitive touch	10 point Capacitive touch
Brightness	250 cd/m2	250 cd/m2	250 cd/m2
View Angle	89/89/89/89	89/89/89/89	89/89/89/89
OS	Android 8.1/ 9.0	Android 8.1/ 9.0	Android 8.1/ 9.0
Speaker	2x3W	2x3W	2x3W
Camera	2M/P Front camera	2M/P Front camera	2M/P Front camera
Chipset	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399 (Optional)	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399 (Optional)	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399 (Optional)
System Memory	2GB	2GB	2GB
Flash Memory	16GB	16GB	16GB
Communication	Ethernet RJ45,Wi-Fi 802.11 b/g/n, Bluetooth 4.0	Ethernet RJ45,Wi-Fi 802.11 b/g/n, Bluetooth 4.0	Ethernet RJ45,Wi-Fi 802.11 b/g/n, Bluetooth 4.0
Input/Output	DC In, HDMI output,Mini USB OTG, USB 2.0 Host, 3.5mm Audio Jack,SD Card slot,RJ45, Microphone	DC In, HDMI output,Mini USB OTG, USB 2.0 Host,3.5mm Audio Jack, SD Card slot,RJ45	DC In, HDMI output,Mini USB OTG, USB 2.0 Host,3.5mm Audio Jack, SD Card slot,RJ45
VESA Mount	100x100mm	100x100mm	100x100mm
Battery	No Battery	No Battery	No Battery
Power Input	12V/3A	12V/4A	12V/4A
Contrast Ratio	1000:1	1000:1	1000:1
Aspect Ratio	16:9	16:9	16:9
Active Area Size(WxH)	474.64x268.11mm	527.04x296.46mm	597.6x336.15mm
Color	Black/White/Customized Color	Black/White/Customized Color	Black/White/Customized Color
Accessories	Power Adapter,Stand,Screws,User Manual	Power Adapter,Stand,Screws,User Manual	Power Adapter,Stand,Screws,User Manual
Product Size (LxWxH)	538x331x37mm	580x349.2x32.5mm	654x394.2x32.5mm
Product Weight	3.6kg	4.8kg	6.5kg
Gift Box Size	600x120x425mm	655x115x455mm	725x115x490mm
Master Carton Size	617x260x445mm	670x250x480mm	740x250x515mm
Master Carton Weight	11.6kg	14.2kg	18.5kg
Units per Master Carton	2 pcs	2pcs	2pcs

JAV  
SERIES



Model Number	JAV3202T-B-AU-NN-T	JAV4302T-B-AU-NN-T	JAV5502T-B-AU-NN-T
Screen Size	32"	43"	55"
Panel Type	IPS	IPS	IPS
Resolution	1920x1080	1920x1080	1920x1080
Interactive Touch	10 point Capacitive touch	10 point Capacitive touch	10 point Capacitive touch
Brightness	300 cd/m2	300 cd/m2	300 cd/m2
View Angle	89/89/89/89	89/89/89/89	89/89/89/89
OS	Android 8.1/ 9.0	Android 8.1/ 9.0	Android 8.1/ 9.0
Speaker	2x3W	2x5W	2x5W
Camera	2M/P Front camera	N/A	N/A
Chipset	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399 (Optional)	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399 (Optional)	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399 (Optional)
System Memory	2GB	2GB	2GB
Flash Memory	16GB	16GB	16GB
Communication	Ethernet RJ45,Wi-Fi 802.11 b/g/n, Bluetooth 4.0	Ethernet RJ45,Wi-Fi 802.11 b/g/n, Bluetooth 4.0	Ethernet RJ45,Wi-Fi 802.11 b/g/n, Bluetooth 4.0
Input/Output	DC In, HDMI output,Mini USB OTG, USB 2.0 Host,3.5mm Audio Jack, SD Card slot,RJ45	AC In, HDMI output,Mini USB OTG, USB 2.0 Host,3.5mm Audio Jack, SD Card slot,RJ45	AC In, HDMI output,Mini USB OTG, USB 2.0 Host,3.5mm Audio Jack, SD Card slot,RJ45
VESA Mount	100x100mm	400x400mm	400x400mm
Battery	No Battery	No Battery	No Battery
Power Input	12V/5A	AC 100~240V Input	AC 100~240V Input
Contrast Ratio	3000:1	1200:1	1200:1
Aspect Ratio	16:9	16:9	16:9
Active Area Size(WxH)	698.4x392.85mm	942.2x530.4mm	1207.6x678.4mm
Color	Black/White/Customized Color	Black/White/Customized Color	Black/White/Customized Color
Accessories	Power Adapter,Stand,Screws,User Manual	AC Cable,User Manual	AC Cable,User Manual
Product Size (LxWxH)	750.4x449.7x42mm	995.28x592.14x55.6mm	1263.18x747.28x56.5mm
Product Weight	8.5kg	17.85kg	31.45kg
Gift Box Size	862x135x555mm	1156x169x792mm	No Gift Box
Master Carton Size	880x150x575mm	1180x178x817mm	1435x175x1020mm
Master Carton Weight	12.85kg	23.8kg	39.75kg
Units per Master Carton	1pcs	1pcs	1pcs

JTC  
SERIES



JTC1565T-B-AU-NN-T



JTC2155T-B-AU-NN-T

Model Number	JTC1565T-B-AU-NN-T	JTC2155T-B-AU-NN-T
Screen Size	15.6"	21.5"
Panel Type	Full HD panel	Full HD panel
Resolution	1920x1080	1920x1080
Interactive Touch	10 point Capacitive touch	10 point Capacitive
Brightness	250cd/m2	250cd/m2
View Angle	85/85/85/85	89/89/89/89
Chipset	MSTV59 TV Controller	MSTV59 TV Controller
Speaker	2x3W	2x3W
Camera	2M/P Front camera	2M/P Front Camera(Optional)
Communication	IR Receiver	IR Receiver
Input/Output	DC in, HDMI input, AV input, 3.5mm earphone, USB Host 2.0, SD Card Slot	DC in, HDMI input, AV input, 3.5mm earphone, USB Host 2.0, SD Card Slot
OSD Language	Multi OSD language	Multi OSD language
VESA Mount	100x100mm	100x100mm
Battery	No Battery	No Battery
Power Input	12V/3A	12V/3A
Contrast Ratio	700:1	1000:1
Aspect Ratio	16:9	16:9
Active Area Size(WxH)	344.16x193.59mm	474.64x268.11mm
Color	Black/White/Customized Color	Black/White/Customized Color
Accessories	Power Adapter,Stand,User Manual	Power Adapter,Screws,User Manual
Product Size (LxWxH)	388x245x27mm	538x331x37mm
Product Weight	1.3kg	3.6kg
Gift Box Size	475x295x85mm	600x120x425mm
Master Carton Size	490x360x313mm	617x260x445mm
Master Carton Weight	9.8kg	11.6kg
Units per Master Carton	4pcs	2pcs



JEA Technologies Interactive Digital Signage product range is ideally suited for a wide range of applications where the user needs to interact with a digital display, such as retail, hospitality, showrooms, travel, museums, exhibitions, medical etc.

These displays utilize reliable commercial-grade IPS LCD display panels and PCAP multi-touch sensors to give a high-quality user experience, and they support various networking technologies including WIF, Ethernet, and Bluetooth 4.0.

Most models include built in cameras, speakers and some are available with optional PoE, which is particularly useful for applications such as meeting room digital signage displays.

These displays are available in a variety of housing configurations including wall/pole mount and L type Desk top housing. Some models also have illuminated LED strips along the edges of the housing to provide an attractive aesthetic which is especially effective in subdued lighting applications such as exhibitions or cinemas.